

XML Schema Definition: ACL-M

General Instructions:										
1. This document provides the list of all the fields that are applicable for bulk filing. Refer to the directions for each section to find out which fields are required and which are optional.										
2. This document describes how each field should be populated (e.g., calculations, constants).										
Schema	Element						Contents/Reject Rules	Maps To		
	Parent	Child	Grand child	Great-grand child	Great-great-grand child	Great-great-great-grand child		Form Id	Source Field for this data	
IDORTransmission							All the fields listed below in the IDORTransmission Section are required. Any additional fields that are in the schema header are not required.			
	Count						This is an attribute and the value should always be "1".		Constant	
	xsmnSchemaVersion						This is an attribute and the value should always be "IDORSpecialTaxTransmission2014V1.0".		Constant	
	TransmissionId						Must be the DOR assigned vendor code (VendorCD) concatenated with the Julian Date concatenated with a six digit unique identifier, generally sequential.			
	VendorCd						DOR will provide this code during the Bulk File registration and certification process.		Constant	
	ProcessType						T for TEST or P for Production file.		Constant	
	ReturnState									
		stateSchemaVersion						This is an attribute and the value should always be "IDORSpecialTax2014V1.0"		Constant
		ReturnHeaderState								
			Jurisdiction				Two Character State Code = IN		Constant	
			TimeStamp				Date/Time Stamp of the transmission. All Timestamps should look like this: YYYY-MM-DDTHH:MM:SSZ. The embedded "T" and "Z" are required. Use the System Time of your job to set it.			
			TaxPeriodBeginDate				The first day of the period month being filed. Format is YYYY-MM-DD. Example: For an October 2014 return this element would be 2014-10-01.	ALC-M	Tax Period being filed.	
			TaxPeriodEndDate				The last day of the period month being filed. Format is YYYY-MM-DD. Example: For a October 2014 return this element would be 2014-10-31.	ALC-M	Tax Period being filed.	
			TaxYear				YYYY format will contain the tax year being processed. Example: 2014	ALC-M	Tax Year being filed	
			Preparer							
				Name			Name of person who approves this electronic submission.			
				SSN or PTIN			The SSN or the PTIN of the person who approves this electronic submission. You are not required to put an individual's SSN. You are permitted to put any 9 numbers. For example, "111111111." Do not include hyphens.			
				Phone			The phone number of the person who approves this electronic submission. Do not include hyphens.			
				EmailAddress			The email address of the person who approves this electronic submission.			
				Originator						
				EFIN			"123456"		Constant	
				Type			"ERO"		Constant	
				SoftwareId			"SUBMITTER"		Constant	
				ReturnType			"ALCM"	ALC-M	Constant	
				Filer						

XML Schema Definition: ACL-M

Schema	Element						Contents/Reject Rules	Maps To	
	Parent	Child	Grand child	Great-grand child	Great-great-grand child	Great-great-great-grand child		Form Id	Source Field for this data
				BusinessEntity					
				FEIN			Federal ID number of taxpayer. Do not include hyphens.	ALC-M	FID Number
				EntityName					
					BusinessNameLine1		The entity name as it appears on the Indiana Alcoholic Beverage Permit. The XML will not accept the following special characters: comma (,), period (.), semi-colon (;), colon (:), plus sign (+), and equal sign (=).	ALC-M	Name
				Address					
				USAddress					
					AddressLine1		Business street address (physical address)	ALC-M	Physical Street Address
					City		City (physical address)	ALC-M	Physical City
					State		State (physical address)	ALC-M	Physical State
					ZipCode		Zip (physical address)	ALC-M	Physical Zip Code
				StateId			Ten digit Indiana Taxpayer ID code	ALC-M	IN TID Number
				LocNbr			Three digit Indiana business location code		
				EmailAddress			Provide the email address of the person DOR should contact if there is a problem with this electronic submission.		
				FilingMethodCd			"ELF"		Constant
				ReturnSourceCd			"FTP"		Constant
				InputSourceMethodCd			"BULK"		Constant
				FormVersionCode			"0614"	ALC-M	ALC-M Form Revision Month and Year
				TaxTypeCd			"ALC"		Constant
				SubmissionId			Submission Id is generated by using the following format: Prefix of T for Test file or P for Production file, Followed by Department assigned id number plus six digit unique sequence number.		
				ReturnDataState					
				FormALCM					
				ReturnSectionA			All the fields in ReturnSectionA are required. If you have no activity to report for the month you must specify either "ONA" or "ANA" for the ReturnFilingType. You must also enter zeros (0) in all fields. Otherwise the file be rejected.		
				ReturnFilingType			Return Filing Type Valid codes are: "O" = Original, "A" = Amended, "ONA" = Original - No Activity, "ANA" = Amended - No Activity		Constant
				BeerGallonsWithdrawn			Number of gallons of beer withdrawn for sale or gift. Round gallons to four decimal places (0.0000).	ALC-M	Gallons Withdrawn for Sale or Gift in Indiana (1.)

XML Schema Definition: ACL-M

Schema	Element						Contents/Reject Rules	Maps To	
	Parent	Child	Grand child	Great-grand child	Great-great-grand child	Great-great-great-grand child		Form Id	Source Field for this data
					BeerGallonsReturned		Total gallons of beer returned to the manufacturer (Transaction Type B). Should equal total transactions for alcohol type "B" and Transaction Type "B" on Schedule ALC-M-S. Round gallons to four decimal places (0.0000).	ALC-M	Gallons Returned to Manufacturer (3.)
					BeerTotalTaxableGallons		Total Taxable Gallons of Beer. Subtract returned gallons of beer from gallons of beer withdrawn. Round gallons to four decimal places (0.0000).	ALC-M	Total Taxable Gallons (5.)
					BeerTaxDue		Gross Alcohol Tax Due. Multiply Total Taxable Gallons of beer by \$0.115. Round dollars to two decimal places (0.00).	ALC-M	Gross Alcohol Tax Due (6.)
					CiderGallonsWithdrawn		Number of gallons of cider withdrawn for sale or gift. Round gallons to four decimal places (0.0000).	ALC-M	Gallons Withdrawn for Sale or Gift in Indiana (1.)
					CiderGallonsReturned		Total gallons of cider returned to the manufacturer (Transaction Type B). Should equal total transactions for alcohol type "C" and Transaction Type "B" on Schedule ALC-M-S. Round gallons to four decimal places (0.0000).	ALC-M	Gallons Returned to Manufacturer (3.)
					CiderTotalTaxableGallons		Total Taxable Gallons of Cider. Subtract returned gallons of cider from gallons of cider withdrawn. Round gallons to four decimal places (0.0000).	ALC-M	Total Taxable Gallons (5.)
					CiderTaxDue		Gross Alcohol Tax Due. Multiply Total Taxable Gallons of cider by \$0.115. Round dollars to two decimal places (0.00).	ALC-M	Gross Alcohol Tax Due (6.)
					LiquorGallonsWithdrawn		Number of gallons of liquor withdrawn for sale or gift. Round gallons to four decimal places (0.0000).	ALC-M	Gallons Withdrawn for Sale or Gift in Indiana (1.)
					LiquorTaxExemptGallons		Total gallons of liquor that are tax exempt (Transaction Type A). Should equal total transactions for alcohol type "L" and Transaction Type "A" on Schedule ALC-M-S. Round gallons to four decimal places (0.0000).	ALC-M	Tax-Exempt Gallons Sold (2.)
					LiquorGallonsReturned		Total gallons of liquor returned to the manufacturer (Transaction Type B). Should equal total transactions for alcohol type "L" and Transaction Type "B" on Schedule ALC-M-S. Round gallons to four decimal places (0.0000).	ALC-M	Gallons Returned to Manufacturer (3.)
					LiquorTotalTaxableGallons		Total Taxable Gallons of Liquor. Subtract exempt gallons of liquor and returned gallons of liquor from gallons of liquor withdrawn. Round gallons to four decimal places (0.0000).	ALC-M	Total Taxable Gallons (5.)
					LiquorTaxDue		Gross Alcohol Tax Due. Multiply Total Taxable Gallons of liquor by \$2.68. Round dollars to two decimal places (0.00).	ALC-M	Gross Alcohol Tax Due (6.)
					WineGallonsWithdrawn		Total number of gallons of wine withdrawn for sale or gift. Round gallons to four decimal places (0.0000).	ALC-M	Gallons Withdrawn for Sale or Gift in Indiana (1.)
					WineTaxExemptGallons		Total gallons of wine that are tax exempt. Should equal total transactions for alcohol type "W" and Transaction Type "A" on Schedule ALC-M-S. Round gallons to four decimal places (0.0000).	ALC-M	Tax-Exempt Gallons Sold (2.)

XML Schema Definition: ACL-M

Schema	Element						Contents/Reject Rules	Maps To	
	Parent	Child	Grand child	Great-grand child	Great-great-grand child	Great-great-great-grand child		Form Id	Source Field for this data
						WineGallonsReturned	Total gallons of wine returned to the manufacturer (Transaction Type B). Should equal total transactions for alcohol type "W" and Transaction Type "B" on Schedule ALC-M-S. Round gallons to four decimal places (0.0000).	ALC-M	Gallons Returned to Manufacturer (3.)
						WineTotalTaxableGallons	Total Taxable Gallons of Wine. Subtract exempt gallons of wine and returned gallons of wine from gallons of wine withdrawn. Round gallons to four decimal places (0.0000).	ALC-M	Total Taxable Gallons (5.)
						WineTaxDue	Gross Alcohol Tax Due. Multiply Total Taxable Gallons of wine by \$0.47. Round dollars to two decimal places (0.00).	ALC-M	Gross Alcohol Tax Due (6.)
						TotalTaxBeforePI	Total Tax Due. Add Gross Alcohol Tax Due for beer, cider, liquor and wine. Round dollars to two decimal places (0.00).	ALC-M	Total Tax Due (7.)
						CollectionAllowance	Collection Allowance for Timely Payment. If the return is filed on or before the due date, multiply Total Tax Due by 0.015. Round dollars to two decimal places (0.00).	ALC-M	Collection Allowance for Timely Payment (8.)
						Penalty	Penalty. If the return is filed after the due date, add 10% of Total Tax Due or \$5.00, whichever is greater. (The penalty is \$5.00 if the return is late with no tax due.) Round dollars to two decimal places (0.00).	ALC-M	Penalty (9.)
						Interest	Interest. If your tax liability is not paid on or before the due date, you are subject to interest from the date the tax return was due until the date the tax return was postmarked. The interest rate is determined on a calendar-year basis and can change from year to year. Please refer to our website at www.in.gov/dor/files/dn03.pdf for the current interest rate. Round dollars to two decimal places (0.00).	ALC-M	Interest (10.)
						TotalTaxAfterPI	Total Amount Due. Subtract Collection Allowance from Total Tax Due. Then add Penalty and Interest for Total Amount Due. Round dollars to two decimal places (0.00).	ALC-M	Total Amount Due (11.)
						ReturnSectionB	If you have a ReturnFilingType of "O" or "A", please follow the directions below to determine the value of each field. If you have no activity to report for the month (i.e. a ReturnFilingType of "ONA" or "ANA"), then do not include ReturnSectionB in your transmission.	ALC-M	
						ALCMScheduleRepeatSection			
						TransactionType	Transaction Type Valid codes are: "A" = Exempt wine sales; "B" = Gallons returned to the manufacturer; "C" = Information Only: Gallons sold to Indiana manufacturers.	ALC-M-S	Transaction Type (1.)
						AlcoholType	Alcohol Type Valid codes are: "W" for wine, "L" for liquor, "B" for beer, "C" for cider"	ALC-M-S	Alcohol Type (2.)
						DocumentType	Document Type Valid codes are: "C" = Confirmation, "I" = Invoice, "O" = Other, "PO" = Purchase Order, "CM" = Credit Memo, "A" = Affidavit, "RG" = Returned Goods Authorization	ALC-M-S	Document Type (3.)
						DocumentDate	Format is YYYY-MM-DD.	ALC-M-S	Document Date (4.)

XML Schema Definition: ACL-M

Schema	Element						Contents/Reject Rules	Maps To	
	Parent	Child	Grand child	Great-grand child	Great-great-grand child	Great-great-great-grand child		Form Id	Source Field for this data
						DocumentNumber	Document Number assigned for each transaction.	ALC-M-S	Document Number (5.)
						PermitNumber	If the entity involved in the transaction has an Indiana permit, enter that permit number. Otherwise, enter their federal identification number.	ALC-M-S	Alcoholic Beverage Permit Number or FID (6.)
						Name	Entity/business name.	ALC-M-S	Name (7.)
						Address	Location address for the entity where delivery of sale was made.	ALC-M-S	Address (8.)
						City	City for the entity where delivery of sale was made.	ALC-M-S	Address (8.)
						State	State for the entity where delivery of sale was made.	ALC-M-S	Address (8.)
						ZipCode	Zip code for the entity where delivery of sale was made.	ALC-M-S	Address (8.)
						Gallons	Total gallons per document number. Round gallons to four decimal places (0.0000).	ALC-M-S	Total Gallons (9.)
Revisions:									
9/8/2014									
1. Changed Instruction #1 (Row 2).									
2. Deleted Instructions #3 and #4.									
3. Added content to IDORTransmission (Row 7) in Contents/Reject Rules column.									
4. Changed content to SSN or PTIN (Row 23) in Contents/Reject Rules column.									
5. Changed content to Phone (Row 24) in Contents/Reject Rules column.									
6. Changed content to FEIN (Row 33) in Contents/Reject Rules column.									
7. Changed content to BusinessNameLine1 (Row 35) in Contents/Reject Rules column.									
8. Added content to ReturnSectionA (Row 53) in Contents/Reject Rules column.									
9. Added content to ReturnSectionB (Row 78) in Contents/Reject Rules column.									